

Quantifying bile acid malabsorption helps predict response and tailor sequestrant therapy

Oluwafikunayo Orekoya,^A John McLaughlin,^B Eugenia Leita^C, Wendy Johns,^D Simon Lal^E and Peter Paine^F

Authors: ^Afoundation trainee, Royal Bolton Hospital, Bolton, UK; ^Bprofessor of gastroenterology, Faculty of Medical and Human Sciences, University of Manchester, Manchester, UK, and Department of Gastroenterology, Salford Royal Foundation Trust, Salford, UK; ^Cclinical scientist, Department of Nuclear Medicine, Salford Royal Foundation Trust, Salford, UK; ^Dconsultant physicist, Department of Nuclear Medicine, Salford Royal Foundation Trust, Salford, UK; ^Egastroenterologist, Department of Gastroenterology, Salford Royal Foundation Trust, Salford, UK; ^Fgastroenterologist, Department of Gastroenterology, Salford Royal Foundation Trust, Salford, UK

Clinical Medicine 2015;15:252–7.

The affiliation for Professor John McLaughlin was incorrect. The correct affiliation is printed above.

Clinical and scientific letters: Survey on the attitudes of hospital doctors towards the terms ‘acopia’ and ‘social admission’ in clinical practice

Clinical Medicine 2015;15:312.

DAVID CURRAN

Specialist registrar, Elderly Medicine, Ysbyty Bangor Penrhosgarnedd Bangor Gwynedd, Bangor, UK

INDRAJIT CHATTOPADHYAY

Consultant geriatrician, Care of the elderly, Glan Clwyd Hospital Sarn Lane Bodelwyddan, Rhyl, UK

Incorrect job titles were assigned to both authors. The correct job titles are printed above.