

Table 2. Univariate analysis of baseline demographic and clinical variables associated with inpatient mortality following index hospitalisation with decompensated ALD (bold p≤0.10)

	OR	95% CI	P value
Age	1.038	0.996-1.082	0.078
<i>Phase admitted (1 vs 2)</i>	0.902	0.384-2.116	0.812
Gender (male)	2.532	0.891-7.195	0.081
<i>Smoker</i>	1.077	0.438-2.649	0.872
Duration of alcohol use	1.056	0.994-1.122	0.079
<i>Beer or cider</i>	1.34	0.572-3.140	0.501
<i>Spirits</i>	1.535	0.619-3.808	0.355
<i>Wine</i>	0.425	0.149-1.210	0.109
<i>No of units/day</i>	0.984	0.957-1.013	0.277
<i>DM</i>	0.49	0.106-2.267	0.362
<i>BMI</i>	0.915	0.805-1.039	0.172
Bilirubin	1.004	1.001-1.008	0.007
INR	2.545	1.255-5.163	0.010
<i>Albumin</i>	0.936	0.862-1.016	0.115
<i>ALT</i>	1.000	0.997-1.003	0.979
<i>White cell count</i>	1.034	0.963-1.111	0.355
<i>Creatinine</i>	1.008	1.000-1.015	0.036
<i>Na</i>	0.913	0.863-0.965	0.001
Child Pugh Score	1.469	1.148-1.879	0.002
MELD score	1.159	1.075-1.249	0.000
UKELD score	1.141	1.067-1.219	0.000
<i>Ascites</i>	2.764	0.775-9.853	0.117
Acute kidney injury	3.224	1.125-9.235	0.029
Hepatic encephalopathy	9.247	3.400-25.148	<0.001
<i>Gastrointestinal bleed</i>	0.831	0.259-2.665	0.756
Infection	5.530	2.063-14.824	0.001
<i>Proton pump inhibitor use</i>	1.738	0.739-4.086	0.205
<i>Beta-blockers</i>	0.613	0.131-2.879	0.535
<i>Duration of admission</i>	1.004	0.980-1.030	0.722
ICU stay	5.000	1.880-13.297	0.001